H.M. Albretsen Verktøysikring AS

CERTIFICATE

No: HMAV0173rev1

Holder of certificate: H.M. Albretsen Verktøysikring AS (HMAV)

This certificate verifies that the product has undergone drop testing according to test method described in HMAV internal test procedure.

www.net17025.com

NET verifies in annual audit that the quality control scheme and test method is in accordance with NET ATM-006.

The product is modified for work at height by: H.M. Albretsen Verktøysikring AS Tool supplier: Acme Engineering Ltd Marking on product: www.verktoysikring.no, Max.drop height 2m, HMAV0000, serial number Tested at: H.M. Albretsen Verktøysikring AS, Norway



Product:

| Art.no | Description | Tool producer | Tool material | Weight (g) |
|----------|--|------------------|-------------------|------------|
| ERGO9301 | Range sealer ¹ / ₂ " | Acme Engineering | Steel and plastic | 830 |
| | | Ltd | | |

Assembled parts:

| Parts | Description | Material |
|----------------------|----------------|------------------|
| TOS039 | NET567.3-MH3 | Acid proof steel |
| 2 pc. small disc 4mm | Small disc 4mm | Acid proof steel |
| Screw 4mm | Screw 4mm | Acid proof steel |
| Nut 4mm | Nut 4mm | Acid proof steel |

The product is approved for max. drop height (m)The product has undergone test drop height (m)24

| The product is tested according to test procedure: | Date: | Test result is logged in test journal no. |
|--|------------|---|
| 6,4 | 25.03.2015 | 607 |

Charles Welfler Charles Welfler

Quality Manager

Henrik Marcus Borg Henrik M Borg General Manager

H.M. Albretsen Verktøysikring AS Storgata 26 3950 Brevik, NOR. Telephone: +47 35 57 00 67 E-mail: <u>Post@verktoysikring.no</u> Web: Verktoysikring.no

Side **1** av **1**





PRODUCT APPROVAL OF SAFETY TOOLS CERTIFICATE NO.: NET567.3 - MH3

HOLDER OF CERTIFICATE: H.M. Albretsen Verktøysikring AS, Norway

The product is modified for work at height by: H.M. Albretsen Verktøysikring AS (HMA)

TOOL SUPPLIER: H.M. Albretsen Verktøysikring AS (HMA)

MARKING ON PRODUCT: NET567.3 - MH3, Max drop height 2.0 m.



PRODUCT:

| Art.no | Description | Producer | Material |
|--------|---------------|-------------------------|------------------|
| MH3 | Mounting hoop | H.M. Albretsen | Acid proof steel |
| | | Verktøysikring AS (HMA) | |

DIMENSIONS:

| Art.no | Total weight (g) | Dimensions (mm) |
|---------------|------------------|-----------------|
| Mounting hoop | 10.4 | 2 x 97 |
| Screw | 3.0 | 4 x 30 |
| Locking nut | 0.6 | 4 |



APPROVAL IS VALID FOR:

| Max work load (kg) | Max drop height (m) | Test load (kg) | Test drop height (m) |
|--------------------|---------------------|----------------|----------------------|
| 2.0 | 2.0 | 2.0 | 4.0 |

DOCUMENTS BASED UPON FOR APPROVAL:

| Report id. | Date | Issued by | Scope |
|----------------|----------|-----------|--------------|
| NET567.3 - MH3 | 28.10.13 | NET | Type testing |

TEST STANDARD:

NET/ATM-006

TEST LABORATORY:

Nordisk Emballasje Testing AS, Norway

LERUM, SWEDEN

28.10.2013

CERTIFICATE IS VALID UNTIL:

31.10.2018

Susanne E. Dalhberg Certification Officer

Nordisk Emballasje Testing AS Certification

Rune Madsen Fink Control Officer