

# CERTIFICATE

No: HMAV0174rev1

Holder of certificate:

**H.M. Albretsen Verktøysikring AS (HMAV)**

This certificate verifies that the product has undergone drop testing according to test method described in HMAV internal test procedure.



www.net17025.com

NET verifies in annual audit that the quality control scheme and test method is in accordance with NET ATM-006.

**The product is modified for work at height by:** H.M. Albretsen Verktøysikring AS

**Tool supplier:** Acme Engineering Ltd

**Marking on product:** www.verktoysikring.no, Max.drop height 2m, HMAV0000, serial number

**Tested at:** H.M. Albretsen Verktøysikring AS, Norway



**Product:**

Art.no	Description	Tool producer	Tool material	Weight (g)
ERGO9302	Range sealer 3/4"	Acme Engineering Ltd	Steel and plastic	830

**Assembled parts:**

Parts	Description	Material
TOS039	NET567.3-MH3	Acid proof steel
2 pc. small disc 4mm	Small disc 4mm	Acid proof steel
Screw 4mm	Screw 4mm	Acid proof steel
Nut 4mm	Nut 4mm	Acid proof steel

The product is approved for max. drop height (m)	The product has undergone test drop height (m)
2	4

The product is tested according to test procedure:	Date:	Test result is logged in test journal no.
6,4	25.03.2015	607

*Charles Welfler*  
Charles Welfler  
Quality Manager

*Henrik Marcus Borg*  
Henrik M Borg  
General Manager



**PRODUCT APPROVAL OF SAFETY TOOLS  
CERTIFICATE NO.: NET567.3 - MH3**

HOLDER OF CERTIFICATE:

**H.M. Albretsen Verktøysikring AS, Norway**

**The product is modified for work at height by:** H.M. Albretsen Verktøysikring AS (HMA)

**TOOL SUPPLIER:** H.M. Albretsen Verktøysikring AS (HMA)

**MARKING ON PRODUCT:** NET567.3 - MH3, Max drop height 2.0 m.



**PRODUCT:**

Art.no	Description	Producer	Material
MH3	Mounting hoop	H.M. Albretsen Verktøysikring AS (HMA)	Acid proof steel

**DIMENSIONS:**

Art.no	Total weight (g)	Dimensions (mm)
Mounting hoop	10.4	2 x 97
Screw	3.0	4 x 30
Locking nut	0.6	4

